intertek

Testing Site Acceptance

RTL

Level 1

The following organization has been assessed and found to comply with the relevant requirements of ISO/IEC 17025 and the Intertek Global Recognized Test Laboratory Policy Manual and accepted by Intertek as a Level 1

Recognized Test Laboratory

under the Test Data Acceptance for the ETL and S-Mark and is authorized to perform test work for the product types identified on the endorsement to this Testing Site Acceptance.

Intertek RTL Program

Our data acceptance testing program allows a qualified laboratory to perform product testing at their site, with the same validity as if it were conducted in an Intertek laboratory.

Organization:

Dongguan Anci Testing Technology Co., Ltd.

1-2 Floor, Building A, No.11, Headquarters 2 Road, Songshan Lake Hi-tech Industrial Development Zone, Dongguan City, Guangdong Pr., China.

Acceptance Number	2023-RTL-L1-HK-0056
Issue Number	006
Issue Date	29 Dec. 2023
Expiry Date	28 Dec. 2024

This Testing Site Acceptance is valid until the expiry date shown above, subject to continuing compliance with the conditions specified in the endorsement of this site acceptance.

The Testing Site Acceptance is comprised of this front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:49:25 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

UL 697	Standard for Toy Transformers
UL 746C	Polymeric Materials - Use in Electrical Equipment Evaluations
UL 1012	Safety Power Units Other Than Class 2
UL 1310	Standard for Class 2 Power Units
UL Subject 2056 / UL 2056	Outline of Investigation for Safety of Power Banks
UL 2089	Vehicle Battery Adapters
CSA C22. 2 #107.1	Power conversion equipment
CSA C22.2 #107.2	Battery Chargers
CSA C22.2 #173	Transformers for Toy and Hobby Use
CSA C22.2 #223	Standard for Class 2 Power Units

Conditions applicable to the Acceptance:

None within the scope

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:49:40 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

UL 60065 CSA C22.2 #60065 IEC 60065	Standard for Audio, Video and Similar Electronic Apparatus - Safety Requirements
UL 60950-1 CSA C22.2 #60950-1 IEC 60950-1	Information Technology Equipment - Safety - Part 1: General Requirements
UL 62368-1 CSA C22.2 #62368-1 IEC/EN 62368-1 EN IEC 62368-1	Audio/video, information and communication technology equipment - Part 1: Safety requirements
IEC/EN 60335-1	Household and similar electrical appliances - Safety - Part 1: General requirements
IEC/EN 60335-2-29	Particular requirements for battery chargers

Conditions applicable to the Acceptance:

None within the scope

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:49:56 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

IEC 61558-1 EN IEC 61558-1	Safety of power transformers, power supplies, reactors and similar products - Part 1: General requirements and tests
IEC/EN 61558-2-7	Particular requirements and tests for transformers and power supplies for toys
IEC 61558-2-16	Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units
EN 50075	Specification for Flat non-wirable two-pole plugs,2.5A 250V,with cord, for the connection of class II-equipment for household and similar purposes
AS/NZS 3112	Approval and test specification-Plugs and socket-outlets
BS 1363-1	13A plugs, socket-outlets, adaptors and connection units part 1

Conditions applicable to the Acceptance:

None within the scope

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:50:09 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

Standard	Clause number
UL 697: 2011 (Ed.7) +R: 01 Jul 2021	Cl. No.: 26~38, 43~47 **********
UL 746C: 2004 (Ed.6) +R: 19 May 2017	Cl. No.: 31, 61 **********
UL 746C: 2018 (Ed.7) +R: 24Mar2023	Cl. No.: 31, 61 **********
UL 1012: 2010 (Ed.8) +R: 30 Mar 2021	Cl. No.: 40, 41, 42, 43.1, 43.2, 45, 47, 48, 52, 53, 54, 55, 56, 57 **********
UL 1310: 2018 (Ed.7) +R: 09 Jun 2022	Cl. No.: 26~35, 39, 39.2, 39.4, 39.7~39.8, 40~46, 46.2, 46.4, 46.5, 47 **********
UL Subject 2056: 2015 (Ed.2)	Cl. No.: 8.4, 8.5, 8.7, 8.8, 9, 10, 11, 12 **********

Conditions applicable to the Acceptance:

The pattern generator (disc) is required to bring along for tests of TV products.

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:50:23 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

intertek

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

Standard	Clause number
UL 2056: 2020 (Ed.3)	Cl. No: 7.3.2 **********
UL 2089: 2011 (Ed.3) +R: 25 Apr 2023	Cl. No.: 23, 24, 25, 26, 27, 28, 29, 30 **********
CSA C22.2 #107.1: 2016 (Ed.4) +U1	Cl. No.: 6.2, 6.3 (upto input 240V), 6.5, 6.6 **********
CSA C22.2 #107.2: 2001 (Ed.2) +U1; U2	Cl. No.: 6.4, 6.2.3, 6.3, 6.5, 6.10, 6.11, 6.8, 6.9, 6.6 *********
CSA C22.2 #173: 1983 (Ed.1) +G1, G2	Cl. No.: 6.3~6.10, 6.13 **********
CSA C22.2 #223: 1991 (Ed.2) +G1; G2	Cl. No.: 6.2.1, 6.2.2, 6.2.4.2, 6.2.4.3, 6.3~6.7, 6.10.1~6.10.3, 6.10.5~6.10.6, 6.13 **********
CSA C22.2 #223: 2015 (Ed.3)	Cl. No.: 6.3.1, 6.3.2, 6.3.4, 6.3.4.3.1, 6.4, 6.5, 6.6, 6.8, 6.9, 6.10.1 - 6.10.3, 6.10.5, 6.10.6, 6.11, 6.14, 6.15.1-6.15.3 *****

Conditions applicable to the Acceptance:

The pattern generator (disc) is required to bring along for tests of TV products.

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:50:36 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

Standard	Clause number
UL 60065: 2015 (Ed.8) / CSA C22.2 #60065: 2016 (Ed.2) / IEC 60065: 2014 (Ed.8)	Cl. No.: 4.2, 4.3.2, 4.3.6~4.3.8, 4.3.10~4.3.11, 5, 7.1, 8.3, 8.8, 9.1.1.1, 9.1.6~9.1.7, 10.2, 10.3, 10.4, 11.1~11.2, 12.1.2~12.1.6, 12.2~12,4, 12.6.2, 13.2, 14.2, 14.5.1~14.5.3, 14.11.5, 15.2, 15.4.1, 15.4.3, 16.5, 17.1, 19.1, 19.3~19.4, 19.6~19.7 **********
UL 60950-1: 2007 (Ed.2) +R: 09 May 2019 / CSA C22.2 #60950-1: 2007 (Ed.2) +A1; A2 / IEC 60950-1: 2005 (Ed.2) +A1: 2009, +A2: 2013 / (for power supplies only)	Cl. No.: 1.6.2, 1.7.11, 2.1.1.1, 2.1.1.5, 2.1.1.7, 2.2.2~2.2.3, 2.5, 2.6.3.4, 2.9.2, 2.10.2, 2.10.5, 3.2.6, 4.1, 4.2.2~4.2.7, 4.3.6, 4.4.2, 4.5.2, 4.5.5, 5.1~5.3 **********

Conditions applicable to the Acceptance:

None within the scope

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:50:48 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

intertek

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

Standard	Clause number
UL 62368-1: 2014 (Ed.2) / CSA C22.2 #62368-1: 2014 (Ed.2) / IEC 62368-1: 2014 (Ed.2) / EN 62368-1: 2014 +A11: 2017	Cl. No.: 4.7, 4.8, 5.2.2.2, 5.2.2.4, 5.3.2, 5.4.1.4, 5.4.2~5.4.4, 5.4.8~5.4.11, 5.5.2.2, 5.6.4.1, 5.7, 6.2.2, 6.4.8.3.3, 8.2, 8.5.4.2, 8.6.2, 8.6.4~8.6.5, 8.7~8.12, 9.2.5, Annex T, Annex B.2.5, Annex B.3.2, Annex E, Annex F.3.10.2, Annex F.3.10.3, Annex G.5.4.5.3 G.5.4.6.3, G.9.3 S.3.1, S.3.2, Annex G.13.6.2, Annex P.2, Annex P.4, Annex S, Annex T.2-T.4, Annex T.5~Annex T.9, Annex V.1.2, Annex V.1.3, Annex V.1.5, Annex V.1.6 **********
UL 62368-1: 2019 (Ed.3) +R: 22 Oct 2021/ CSA C22.2 #62368-1: 2019 (Ed.3) / IEC 62368-1: 2018 (Ed.3) / EN IEC 62368-1: 2020 +A11: 2020	Cl. No.: 4.7, 4.8, 5.2.2.2, 5.2.2.4, 5.3.2, 5.4.1.4, 5.4.2~5.4.4, 5.4.8~5.4.11, 5.5.2.2, 5.6.4.1, 5.7, 6.2.2, 6.4.8.3.3, 8.2, 8.5.4.2, 8.6.2, 8.6.4~8.6.5, 8.7~8.12, 9.2.5, Annex T, Annex B.2.5, Annex B.3.2, Annex E, Annex F.3.10.2, Annex F.3.10.3, Annex G.5.4.5.3 G.5.4.6.3, G.9.3 S.3.1, S.3.2, Annex G.13.6.2, Annex P.2, Annex P.4, Annex S, Annex T.2-T.4, Annex T.5~Annex T.9, Annex V.1.2, Annex V.1.3, Annex V.1.5, Annex V.1.6 **********

Conditions applicable to the Acceptance:

None within the scope

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:51:02 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

intertek

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

Standard	Clause number
IEC 60335-1: 2010 (Ed.5) +A1: 2013, +A2: 2016 / EN 60335-1: 2012 +A11: 2014 +A13: 2017, +A1: 2019; +A2: 2019, +A14: 2019, +A15: 2021, +A16: 2023	Cl. No.: 7.14, 8.1.1~8.1.4, 9~11, 13.2~13.3, 14, 15.3, 16.2~16.3, 17, 18, 19.2~19.10, 19.11.1~19.11.3, 19.12~19.15, 20.1, 21.1, 22.3, 22.5, 22.12, 23.5, 25.2, 25.15, 26, 27.5, 28.1, 30.1, 30.2.1~30.2.4 **********
IEC 60335-1: 2020 (Ed.6)	Cl. No.: 7.14, 8.1.1~8.1.4, 9~11, 13.2~13.3, 14, 15.3, 16.2~16.3, 17, 18, 19.2~19.10, 19.11.1~19.11.3, 19.12~19.15, 20.1, 21.1, 22.3, 22.5, 22.12, 23.5, 25.2, 25.15, 26, 27.5, 28.1, 30.1, 30.2.1~30.2.4 **********
IEC 60335-2-29: 2002 (Ed.4) + A1: 2004, +A2: 2009 / EN 60335-2-29: 2004 +A2: 2010, +A11: 2018	Cl. No.: 7.14, 8.1.1~8.1.4, 9~11, 13.2~13.3, 14, 15.3, 16.2~16.3, 17, 18, 19.2~19.10, 19.11.1~19.11.3, 19.12~19.15, 20.1, 21.1, 22.3, 22.5, 22.12, 23.5, 25.2, 25.15, 26, 27.5, 28.1, 30.1, 30.2.1~30.2.4, 10.101, 10.102, 19.101, 19.102, 21.101 *****

Conditions applicable to the Acceptance:

None within the scope

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:51:16 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

Standard	Clause number
IEC 60335-2-29: 2016 (Ed.5) +A1: 2019 / EN 60335-2-29: 2021 +A1: 2021	Cl. No.: All relevant testes in part 1 ********** Cl. No.: 10.101, 10.102, 19.101, 19.102, 21.101 **********
IEC 61558-1: 2005 (Ed.2) +A1: 2009 /	Cl. No.: 9.1.1.2, 9.2, 10~13, 14 (Excluded cl. 14.3 & flush type transformer), 15, 16 (Excluded cl. 16.3), 17.2, 18 (Excluded cl. 18.4), 23~25, 28, Annex H **********
IEC 61558-1: 2017 (Ed.3) / EN IEC 61558-1: 2019	Cl. No.: 9.1.1.2, 9.2, 10~13, 14 (Excluded cl. 14.3 & flush type transformer), 15, 16 (Excluded cl. 16.3), 17.2, 18 (Excluded cl. 18.4), 23~25, 28, Annex H **********
IEC 61558-2-7: 2007 (Ed.2) / EN 61558-2-7: 2007	Cl. No.: 9.1.1.2, 9.2, 10~13, 14 (Excluded cl. 14.3 & flush type transformer), 15, 16 (Excluded cl. 16.3), 17.2, 18 (Excluded cl. 18.4), 23~25, 28, Annex H, 16.101 **********

Conditions applicable to the Acceptance:

None within the scope

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:51:29 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

Standard	Clause number
IEC 61558-2-16: 2009 (Ed.1) +A1: 2013 /	Cl. No.: 9.1.1.2, 9.2, 10~13, 14 (Excluded cl. 14.3 & flush type transformer), 15, 16 (Excluded cl. 16.3), 17.2, 18 (Excluded cl. 18.4), 23~25, 28, Annex H, 10.101, 12.101~12.103, 14.101, 15.101, 18.101 **********
IEC 61558-2-16: 2021 (Ed.2)	Cl. No.: 9.1.1.2, 9.2, 10~13, 14 (Excluded cl. 14.3 & flush type transformer), 15, 16 (Excluded cl. 16.3), 17.2, 18 (Excluded cl. 18.4), 23~25, 28, Annex H, 10.101, 12.101~12.103, 14.101, 14.102, 15.101, 18.3.1.101, 18.101 **********
EN 50075: 1990	Cl. No.: 8.1~8.2, 13.1~13.4, 14.1.2, 17 **********
AS/NZS 3112: 2017 +A1: 2021	Cl. No.: J2.2.3 (Clauses 2.8.1 and 2.8.4), J2.2.5 (Clause 2.10), J2.2.7.2 (Clause 2.13.3), J2.2.7.3.1 (Clause 2.13.7.1), J2.2.7.3.2 (Clause 2.13.7.2), J2.2.7.4 (Clause 2.13.8), J2.2.7.5 (Clause 2.13.9), J2.2.7.6 (Clause 2.13.13), J2.2.7.7 **********

Conditions applicable to the Acceptance:

None within the scope

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:51:46 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk

Testing Site Acceptance

RTL

Level 1

Endorsement to Acceptance No: 2023-RTL-L1-HK-0056

The details below define the conditions applicable to the Testing Site Acceptance granted to the Laboratory, and are valid only for the period stated below. The acceptance is subject to the laboratory's continuing compliance with the applicable rules according to Intertek's Recognized Test Laboratory Program.

Scope of Acceptance:

Equipment Product Types and Categories:

Standard	Clause number
BS 1363-1: 2016 +A1: 2018	Cl. No.: 12.2.1, 12.12, 12.17.3~12.17.4 **********

Conditions applicable to the Acceptance:

None within the scope

The Testing Site Acceptance is comprised of the front sheet and 2 endorsements.

Signature: Digitally signed by Chan Wai Ming, Ken Date: 2024.01.03 09:52:00 +08'00'

Name: Ken Chan

Title: Deputy General Manager

Date: 29 Dec. 2023

The acceptance is for the exclusive use of the testing site and is provided pursuant to the agreement between Intertek and the testing site. Intertek assumes no liability to any party for any loss, expense or damage occasioned by the use of this acceptance. Only the testing site is authorized to copy or distribute this acceptance. Any use of the Intertek name or one of its marks for the sale or advertisement of any tested material, product or service must first be approved in writing by Intertek.

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel.: (852) 2173 8888; Fax: (852) 2785 5487
www.intertek.com.hk